

- for the hereditary lymphedema-distichiasis syndrome. *Am. J. Hum. Genet.* 67 (2000), 1382-1388.
13. Vreeburg M, MV Heitink, RJ Damstra, et al: Lymphedema-distichiasis syndrome: A distinct type of primary lymphedema caused by mutations in the FOXC2 gene. *Int. J. Dermatol.* 447 (2008), 52-55.
doi.org/10.1111/j.1365-4632.2008.03962.x
 14. Witte, MH, RP Erickson, M Khalil, et al: Lymphedema-distichiasis syndrome without FOXC2 mutation: Evidence for chromosome 16 duplication upstream of FOXC2. *Lymphology* 42 (2009), 152-160.
 15. Tartaglia, M, G Zampino, B Gelb: Noonan syndrome: Clinical aspects and molecular pathogenesis. *Molec. Syndrom.* 1 (2010), 2-26.
 16. Cox, T, C Vance, S Daley, et al: Imaging of lymphatic dysplasia in Noonan syndrome: Case studies and historical atlas. *Lymphology* 54 (2021), 23-40.
 17. Brouillard, P, MH Witte, RP Erickson, et al: Primary lymphoedema. *Nature Reviews Primer* 77 (2021), 1-23.
 18. Ferrell, RE, CJ Baty, MA Kimak, et al: GJC2 missense mutations cause human lymphedema. *Am. J. Hum. Genet.* 86 (2010), 943-948.
 19. Ostergaard, P, MA Simpson, G Brice, et al: Rapid identification of mutations in GJC2 in primary lymphoedema using whole exome sequencing combined with linkage analysis with delineation of the phenotype. *J. Med. Genet.* 48 (2011), 251-255.
 20. Uhlenberg, B, M Schuelke, F Ruschendorf, et al: Mutations in the gene encoding gap junction protein alpha 12 (connexin 46.6) cause Pelizaeus-Merzbacher-like disease. *Am. J. Hum. Genet.* 75 (2004), 251-260.

Robert P. Erickson, MD
Professor Emeritus of Human Genetics
and Inherited Diseases
Department of Surgery
University of Arizona College of Medicine
1501 N Campbell Avenue
PO Box 245200
Tucson, AZ 85724-5200
E-mail: erickson@peds.arizona.edu